Winch/Rope Upgrade

Tools Needed

1 x Snap Ring Pliers
1 x 6 mm wrench
2 x 13 mm wrench
1 x 17 wrench

OLD style winches and Wire Cables to be replaced

Kit includes
1 x New Winch
1 x New Pulley - Design
1 x Rope
1 x Plate
1 x hardware

(Tools not included)

Mil-tek USA ▪ 10 Export Dr. ▪ Sterling, VA 20164 ▪ T. (877) 664-58 ▪ F. (571) 267-7449
miltek@miltekusa.com ▪ www.miltekusa.com
© This document is property of Mil-tek USA and is only to be used for internal purposes within the worldwide Mil-tek organization and may NOT by any means be passed on to any third party.

Winch/Rope Upgrade

	With the use of 2 x 13 mm wrenches remove old winch bolts and nuts
	Align the New Plate on top of the frame
	Secure the 4 Bolts from Underneath
 Bottom View  Top View	Bottom View & Top View After bolts are secured

Mil-tek USA ▪ 10 Export Dr. ▪ Sterling, VA 20164 ▪ T. (877) 664-58 ▪ F. (571) 267-7449
miltek@miltekusa.com ▪ www.miltekusa.com

© This document is property of Mil-tek USA and is only to be used for internal purposes within the worldwide Mil-tek organization and may NOT by any means be passed on to any third party.

Winch/Rope Upgrade

	Use the Hardware bag to mount the New Winch over the mounting plate Make sure to use the washers included in the kit
	Secure all 4 bolts with the 13 mm wrench
	Remove Old Pulley and SHAFT from the top frame using the snap ring pliers

Mil-tek USA ▪ 10 Export Dr. ▪ Sterling, VA 20164 ▪ T. (877) 664-58 ▪ F. (571) 267-7449
miltek@miltekusa.com ▪ www.miltekusa.com

© This document is property of Mil-tek USA and is only to be used for internal purposes within the worldwide Mil-tek organization and may NOT by any means be passed on to any third party.

Winch/Rope Upgrade

	Disregard old Pulley and **Make sure to replace with the New Design Pulley** (Deeper Grove)
	Install New Design Pulley and Rope by putting back the SHAFT and the Snap Ring on the top
	Install Rope on the lower shackle

Mil-tek USA ▪ 10 Export Dr. ▪ Sterling, VA 20164 ▪ T. (877) 664-58 ▪ F. (571) 267-7449
miltek@miltekusa.com ▪ www.miltekusa.com
© This document is property of Mil-tek USA and is only to be used for internal purposes within the worldwide Mil-tek organization and may NOT by any means be passed on to any third party.

Winch/Rope Upgrade

	Remove the secure nut and run the new rope from the inside out of the winch reel
	New Rope must look as shown on this picture
	Ready to turn the handle and use the new winch

Mil-tek USA ▪ 10 Export Dr. ▪ Sterling, VA 20164 ▪ T. (877) 664-58 ▪ F. (571) 267-7449
miltek@miltekusa.com ▪ www.miltekusa.com

© This document is property of Mil-tek USA and is only to be used for internal purposes within the worldwide Mil-tek organization and may NOT by any means be passed on to any third party.